



VIPER TRADESHOW SERVICES	ACBSP SYMPOSIUM MARCH 26-30, 2025 GREENVILLE CONVENTION CENTER CONFERENCE HALL GREENVILLE, SC	SHOW INFO	REVISION DATE	KEY	CAPACITY INFO	ROOM	DISCLAIMER
2575 NORTHWEST PKWY ELGIN, IL 60124 P: 847.426.3100 F: 847.426.3111 www.vipertradeshow.com		SHOW OPENS: SHOW CLOSSES: MOVE IN: MOVE OUT: CONTACT: PHONE:	9.19.24	FE-FIRE EQUIPMENT ALL EXITS 6' UNLESS NOTED ALL DRAPE USSED MEETS FLAME RETARDANT FIRE CODE	GUESTS: N/A TOTAL SQ FT: 50000 USABLE SQ FT: 50000 MAX OCCUPANCY: 3333 MAX ALLOWED OCCUPANCY: 3333 EXIT FEET REQD: 55' FIRE EXITS GIVEN: 68' FIRE EXTINGUISHERS REQD: 16 FIRE EXTINGUISHERS GIVEN: N/A	MAX OCCUPANCY 50000 sqft divided by 15 = 3333 Linear footage of exits REQUIRED, 3333 divided by 60 = 55' Fire Exits Req, 3333 Times .02 = 66' Fire Exits Given: 68' Fire Extinguishers Req: 50000 sqft divided by 3000 = 16 Fire Extinguishers Given: N/A	Every effort has been made to ensure the accuracy of all information contained on this floor plan. However, no warranties, either expressed or implied, are made with respect to this floor plan. If the location of the building columns, utilities or other architectural components of the facility is a consideration in the construction or usage of an exhibit, it is the sole responsibility of the exhibitor to physically inspect the facility to verify all dimensions and locations.  Doors that are blocked or unavailable and are not needed to meet the minimum exit requirement will have exit signs covered.  There will be no candles, pyro-technics or open flames that have not been properly permitted used in this event.
		DRAWN BY	M. MOSES / M. THOMPSON	SCALE	1" = x UNITS		